CO-OP PUNCH 13 25-MEC

MEDICATED

Starter for Weaned Pigs

For control of swine dysentery (vibrionic dysentery, bloody scours or hemorrhagic dysentery); control of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by Salmonella choleraesuis); for increased rate of weight gain and improvement of feed efficiency. ACTIVE DRUG INGREDIENT

	AGTIVE DIGGO INGICEDIENT		
Carbadox			50 g/ton
	GUARANTEED ANALYSIS		
Crude Protein (min.)			20.00%
Lysine (min.)			1.30%
Crude Fat (min.)			5.00%
Crude Fiber (max.)			
Calcium (min.)	0.75%	(max.)	1.25%
Phosphorus (min.)			0.70%
Salt (min.)	0.30%	(max.)	0.80%
Selenium (min.)			0.30 ppm
,			

りつい

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Fish Meal, Animal Fat and Vegetable Oil, Sugar, Calcium Phosphate, Calcium Carbonate, Zinc Oxide, Propionic Acid (a preservative), Acetic Acid, Ammonium Hydroxide, Magnesium Aluminosilicate, Copper Sulfate, L-Lysine, Yucca Schidegera Extract, Natural and Artificial Flavors, Choline Chloride, Ferrous Sulfate, Calcium Iodate, Cobalt Carbonate, Sodium Selenite, Vitamin E Supplement, Niacin Supplement, Calcium Pantothenate, Vitamin B-12 Supplement, Vitamin A Supplement, Riboflavin Supplement, Menadione Sodium Bisulfite Complex, Silicon Dioxide, Vitamin D-3 Supplement.

FEEDING DIRECTIONS: Feed as sole ration until two weeks after weaning or until pigs weigh 25 lb whichever occurs first. Always provide plenty of clean, fresh water in clean waterers. WARNING: Do not feed to swine within 42 days before slaughter.

CAUTION: Do not use in feeds containing bentonite. Not for use in pregnant swine or swine intended for breeding purposes.

Manufactured By PROTRITION FEED, LLC LAVERGNE, TENNESSEE 37086

ITEM NO. 502 TAG CODE NO. 091223-502

Seller warrants only that this feed conforms to the description on the label and is suitable for the purposes set forth when used in accordance with the directions for use on said label.

NET WEIGHT 50 lb (22.68 kg)/INVOICE